DP SERIES

►ALUMINUM COIL
►DEDICATED HORIZONTAL
►WITH PLENUM

DP SERIES: DIMENSIONAL DATA (In.)									
COIL MODELS	Dry Coil Static Pressure Drop (in. w.c.) @ CFM								
	400	600	800	1000	1200	1400	1600	1800	2000
DP25A3	0.143	0.277	0.505	-	-	-	-	-	-
DP25A4	0.197	0.398	-	-	-	-	-	-	-
DP25B3	0.103	0.197	0.371	0.572	-	-	-	-	-
DP25B4	0.143	0.290	0.505	-	-	-	-	-	-
DP25E2	0.031	0.063	0.116	0.170	0.250	0.344	0.451	0.558	-
DP25E3	0.036	0.116	0.197	0.277	0.411	0.545	-	-	-
DP25E4	0.063	0.156	0.264	0.398	0.558	-	-	-	-
DP31A3	0.103	0.197	0.371	0.572	-	-	-	-	-
DP31A4	0.143	0.290	0.505	-	-	-	-	-	-
DP31E3	0.036	0.103	0.183	0.250	0.371	0.505	-	-	-
DP31E4	0.063	0.143	0.250	0.357	0.505	-	-	-	-
DP37A3	0.103	0.197	0.371	0.572	-	-	-	-	-
DP37A4	0.143	0.290	0.505	-	-	-	-	-	-
DP37B3	0.049	0.143	0.223	0.344	0.505	-	-	-	-
DP37B4	0.089	0.197	0.317	0.491	-	-	-	-	-
DP37C3	0.076	0.170	0.277	0.438	-	-	-	-	-
DP37C4	0.116	0.237	0.398	0.598	-	-	-	-	-
DP37D3	0.025	0.049	0.116	0.170	0.223	0.304	0.398	0.505	-
DP37D4	0.045	0.089	0.156	0.237	0.317	0.424	0.545	-	-
DP37E3	0.038	0.076	0.143	0.197	0.290	0.398	0.518	-	-
DP37E4	0.049	0.116	0.197	0.277	0.411	0.545	-	-	-
DP37F3	0.036	0.103	0.183	0.250	0.371	0.505	-	-	-
DP37F4	0.063	0.143	0.250	0.357	0.505	-	-	-	-
DP37G3	0.038	0.076	0.143	0.197	0.290	0.398	0.518	-	-
DP37G4	0.049	0.116	0.197	0.277	0.411	0.545	-	-	-
DP43C3	0.031	0.063	0.130	0.197	0.264	0.357	0.465	0.572	-
DP43C4	0.036	0.103	0.183	0.264	0.371	0.491	-	-	-
DP43D3	0.031	0.063	0.116	0.183	0.237	0.317	0.424	0.531	-
DP43D4	0.045	0.089	0.170	0.250	0.331	0.451	0.572	-	-
DP43G3	0.031	0.063	0.130	0.197	0.264	0.357	0.465	0.572	-
DP43G4	0.036	0.103	0.183	0.264	0.371	0.491	-	-	-
DP49A3	0.036	0.116	0.197	0.277	0.411	0.545	-	-	-
DP49A4	0.063	0.156	0.264	0.398	0.558	-	-	-	-
DP49B3	0.045	0.089	0.156	0.223	0.317	0.438	0.558	-	-
DP49B4	0.049	0.130	0.223	0.317	0.451	0.598	-	-	-
DP49C3	0.038	0.076	0.143	0.197	0.290	0.398	0.518	-	-
DP49C4	0.049	0.116	0.197	0.277	0.411	0.545	-	-	-
DP49D3	0.025	0.049	0.116	0.170	0.223	0.304	0.398	0.505	-
DP49D4	0.045	0.089	0.156	0.237	0.317	0.424	0.545	-	-
DP49G3	0.031	0.063	0.130	0.197	0.264	0.357	0.465	0.572	-
DP49G4	0.036	0.103	0.183	0.264	0.371	0.491	-	-	-
DP49H3	0.045	0.089	0.156	0.223	0.317	0.438	0.558	-	-
DP49H4	0.049	0.130	0.223	0.317	0.451	0.598	-	-	-
DP61A3	0.031	0.063	0.130	0.197	0.264	0.357	0.465	0.572	-
DP61A4	0.036	0.103	0.183	0.264	0.371	0.491	-	-	-
DP61B3	0.025	0.049	0.116	0.170	0.223	0.304	0.398	0.505	-
DP61B4	0.045	0.089	0.156	0.237	0.317	0.424	0.545	-	-

R51341 260220

In keeping with its commitment to continuous improvement. Aspen Manufacturing reserves the right to make changes without notice and incurring obligation. To stay up-to-date with this product and Aspen's trusted line of coils, air handlers, and more, go to our website. © 2026 Aspen Manufacturing. All Rights Reserved

Phone: 281.441.6500 **Toll Free:** 800.423.9007 **Fax:** 281.441.6510 **Customer Service:** info@aspenmfg.com **Warranty Team:** warranty@aspenmfg.com

Continued... DP SERIES: DIMENSIONAL DATA (In.)									
COIL MODELS	Dry Coil Static Pressure Drop (in. w.c.) @ CFM								
	400	600	800	1000	1200	1400	1600	1800	2000
DP61C3	0.016	0.031	0.063	0.103	0.143	0.183	0.223	0.290	0.357
DP61C4	0.018	0.036	0.089	0.143	0.197	0.250	0.317	0.398	0.491
DP61D3	0.012	0.025	0.049	0.103	0.143	0.183	0.223	0.277	0.344
DP61D4	0.018	0.036	0.089	0.143	0.197	0.250	0.317	0.398	0.478
DP61E3	0.012	0.025	0.049	0.076	0.116	0.156	0.210	0.237	0.304
DP61E4	0.018	0.036	0.076	0.116	0.170	0.223	0.277	0.344	0.411
DP61F3	0.025	0.049	0.103	0.170	0.210	0.290	0.384	0.478	0.585
DP61F4	0.045	0.089	0.156	0.223	0.304	0.411	0.531	-	-
DP61G3	0.025	0.049	0.116	0.170	0.223	0.304	0.398	0.505	-
DP61G4	0.045	0.089	0.156	0.237	0.317	0.424	0.545	-	-
DP61H3	0.016	0.031	0.063	0.103	0.143	0.183	0.223	0.290	0.357
DP61H4	0.018	0.036	0.089	0.143	0.197	0.250	0.317	0.398	0.491

R51341 260220

In keeping with its commitment to continuous improvement. Aspen Manufacturing reserves the right to make changes without notice and incurring obligation. To stay up-to-date with this product and Aspen's trusted line of coils, air handlers, and more, go to our website. © 2026 Aspen Manufacturing. All Rights Reserved

Phone: 281.441.6500 **Toll Free:** 800.423.9007 **Fax:** 281.441.6510 **Customer Service:** info@aspenmfg.com **Warranty Team:** warranty@aspenmfg.com

DP SERIES

►ALUMINUM COIL
►DEDICATED HORIZONTAL
►WITH PLENUM

DP SERIES: DIMENSIONAL DATA (In.)									
COIL MODELS	Wet Coil Static Pressure Drop (in. w.c.) @ CFM								
	400	600	800	1000	1200	1400	1600	1800	2000
DP25A3	0.168	0.329	0.602	-	-	-	-	-	-
DP25A4	0.232	0.473	-	-	-	-	-	-	-
DP25B3	0.120	0.232	0.441	0.682	-	-	-	-	-
DP25B4	0.168	0.345	0.602	-	-	-	-	-	-
DP25E2	0.035	0.074	0.141	0.208	0.307	0.424	0.557	0.690	-
DP25E3	0.041	0.141	0.241	0.341	0.507	0.674	-	-	-
DP25E4	0.074	0.191	0.324	0.491	0.690	-	-	-	-
DP31A3	0.120	0.232	0.441	0.682	-	-	-	-	-
DP31A4	0.168	0.345	0.602	-	-	-	-	-	-
DP31E3	0.041	0.124	0.224	0.307	0.457	0.624	-	-	-
DP31E4	0.074	0.174	0.307	0.441	0.624	-	-	-	-
DP37A3	0.120	0.232	0.441	0.682	-	-	-	-	-
DP37A4	0.168	0.345	0.602	-	-	-	-	-	-
DP37B3	0.058	0.174	0.274	0.424	0.624	-	-	-	-
DP37B4	0.108	0.241	0.391	0.607	-	-	-	-	-
DP37C3	0.091	0.208	0.341	0.540	-	-	-	-	-
DP37C4	0.141	0.291	0.491	0.740	-	-	-	-	-
DP37D3	0.027	0.058	0.141	0.208	0.274	0.374	0.491	0.624	-
DP37D4	0.052	0.108	0.191	0.291	0.391	0.524	0.674	-	-
DP37E3	0.044	0.091	0.174	0.241	0.357	0.491	0.640	-	-
DP37E4	0.058	0.141	0.241	0.341	0.507	0.674	-	-	-
DP37F3	0.041	0.124	0.224	0.307	0.457	0.624	-	-	-
DP37F4	0.074	0.174	0.307	0.441	0.624	-	-	-	-
DP37G3	0.044	0.091	0.174	0.241	0.357	0.491	0.640	-	-
DP37G4	0.058	0.141	0.241	0.341	0.507	0.674	-	-	-
DP43C3	0.035	0.074	0.158	0.241	0.324	0.441	0.574	0.707	-
DP43C4	0.041	0.124	0.224	0.324	0.457	0.607	-	-	-
DP43D3	0.035	0.074	0.141	0.224	0.291	0.391	0.524	0.657	-
DP43D4	0.052	0.108	0.208	0.307	0.407	0.557	0.707	-	-
DP43G3	0.035	0.074	0.158	0.241	0.324	0.441	0.574	0.707	-
DP43G4	0.041	0.124	0.224	0.324	0.457	0.607	-	-	-
DP49A3	0.041	0.141	0.241	0.341	0.507	0.674	-	-	-
DP49A4	0.074	0.191	0.324	0.491	0.690	-	-	-	-
DP49B3	0.052	0.108	0.191	0.274	0.391	0.540	0.690	-	-
DP49B4	0.058	0.158	0.274	0.391	0.557	0.740	-	-	-
DP49C3	0.044	0.091	0.174	0.241	0.357	0.491	0.640	-	-
DP49C4	0.058	0.141	0.241	0.341	0.507	0.674	-	-	-
DP49D3	0.025	0.054	0.132	0.195	0.257	0.351	0.461	0.586	-
DP49D4	0.049	0.101	0.179	0.273	0.367	0.492	0.633	-	-
DP49G3	0.035	0.074	0.158	0.241	0.324	0.441	0.574	0.707	-
DP49G4	0.041	0.124	0.224	0.324	0.457	0.607	-	-	-
DP49H3	0.052	0.108	0.191	0.274	0.391	0.540	0.690	-	-
DP49H4	0.058	0.158	0.274	0.391	0.557	0.740	-	-	-
DP61A3	0.035	0.074	0.158	0.241	0.324	0.441	0.574	0.707	-
DP61A4	0.041	0.124	0.224	0.324	0.457	0.607	-	-	-
DP61B3	0.025	0.054	0.132	0.195	0.257	0.351	0.461	0.586	-
DP61B4	0.049	0.101	0.179	0.273	0.367	0.492	0.633	-	-

R51341 260220

In keeping with its commitment to continuous improvement. Aspen Manufacturing reserves the right to make changes without notice and incurring obligation. To stay up-to-date with this product and Aspen's trusted line of coils, air handlers, and more, go to our website. © 2026 Aspen Manufacturing. All Rights Reserved

Phone: 281.441.6500 **Toll Free:** 800.423.9007 **Fax:** 281.441.6510 **Customer Service:** info@aspenmfg.com **Warranty Team:** warranty@aspenmfg.com

Continued... DP SERIES: DIMENSIONAL DATA (In.)									
COIL MODELS	Wet Coil Static Pressure Drop (in. w.c.) @ CFM								
	400	600	800	1000	1200	1400	1600	1800	2000
DP61C3	0.016	0.033	0.070	0.117	0.164	0.211	0.257	0.336	0.414
DP61C4	0.018	0.039	0.101	0.164	0.226	0.289	0.367	0.461	0.570
DP61D3	0.012	0.025	0.054	0.117	0.164	0.211	0.257	0.320	0.398
DP61D4	0.018	0.039	0.101	0.164	0.226	0.289	0.367	0.461	0.554
DP61E3	0.012	0.025	0.054	0.085	0.132	0.179	0.242	0.273	0.351
DP61E4	0.018	0.039	0.085	0.132	0.195	0.257	0.320	0.398	0.476
DP61F3	0.025	0.054	0.117	0.195	0.242	0.336	0.445	0.554	0.680
DP61F4	0.049	0.101	0.179	0.257	0.351	0.476	0.617	-	-
DP61G3	0.025	0.054	0.132	0.195	0.257	0.351	0.461	0.586	-
DP61G4	0.049	0.101	0.179	0.273	0.367	0.492	0.633	-	-
DP61H3	0.016	0.033	0.070	0.117	0.164	0.211	0.257	0.336	0.414
DP61H4	0.018	0.039	0.101	0.164	0.226	0.289	0.367	0.461	0.570

R51341 260220

In keeping with its commitment to continuous improvement. Aspen Manufacturing reserves the right to make changes without notice and incurring obligation. To stay up-to-date with this product and Aspen's trusted line of coils, air handlers, and more, go to our website. © 2026 Aspen Manufacturing. All Rights Reserved

Phone: 281.441.6500 **Toll Free:** 800.423.9007 **Fax:** 281.441.6510 **Customer Service:** info@aspenmfg.com **Warranty Team:** warranty@aspenmfg.com