

Certificate of Compliance

Certificate Number:

R14546

Report Reference:

R14546-1992-02-20

Issue Date:

2026-03-31

Issued to:

RECTORSEAL

2601 SPENWICK DR

HOUSTON, TX, 77055-1035

US

This certificate confirms that representative samples of:

Fill, Void or Cavity Materials

See addendum for more information

Has been evaluated by UL LLC and/or ULC Inc. in accordance with Standard(s) for Safety:

UL 1479, Fire Tests of Penetration Firestops, Edition 4

UL 2079, Tests for Fire Resistance of Building Joint Systems, Edition 5

CAN/ULC-S115:2023, STANDARD METHOD OF FIRE TESTS OF FIRESTOP SYSTEMS, Edition 5

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark and/or ULC Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark and/or ULC Mark.

Only those products bearing the UL Mark and/or ULC Mark should be considered as being UL Certified and/or ULC Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark and/or ULC Certification Mark on the product.



David Piecuch
UL Mark Certification Program Owner
UL LLC



Gunsimar Paintal
ULC Mark Certification Program Manager
Underwriters Laboratories of Canada Inc.

Certificate of Compliance

Certificate Number: R14546
Report Reference: R14546-1992-02-20
Issue Date: 2026-03-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Metacaulk 1200 Spray for use in Perimeter Fire Containment System Nos. CW-D-1016, CW-D-1059, CW-D-2014, CW-D-2016, CW-D-2018, CW-D-2047, CW-D-2049, CW-D-2051, CW-S-2015, CW-S-2017, CW-S-2019.

Metacaulk 1500 Spray for use in Perimeter Fire Containment System No. CW-D-1016.

Metacaulk 1200 Caulk Grade for use in Perimeter Fire Containment System Nos. BW-S-0014, CW-D-1059, CW-D-2014, CW-D-2016, CW-D-2018, CW-D-2047, CW-D-2049, CW-D-2051, CW-S-2015, CW-S-2017, CW-S-2019.

Metacaulk 1200 SL for use in Perimeter Fire Containment System Nos. CW-D-1059, CW-D-2014, CW-D-2016, CW-D-2018, CW-D-2047, CW-D-2049, CW-D-2051, CW-S-2015, CW-S-2017, CW-S-2019.

Metacaulk Joint Strip for use in Joint System Nos. FF-D-0053, FF-D-0083, FF-D-0084, FF-D-1053, FW-D-0070, HW-D-0607, HW-D-0651, WW-D-0054, WW-S-0037, WW-D-0056, WW-D-0102, WW-D-0110, WW-D-0275.

Metacaulk 835+ Caulk for use in Joint System Nos. BW-S-0014, FF-D-0083, FF-D-0084, FF-D-1077, FF-S-1021, FF-S-1025, FF-S-1039, FF-S-1040, FW-D-0070, FW-D-1065, FW-D-1066, FW-S-1008, FW-S-1012, FW-S-1022, HW-S-0023, HW-S-0025, HW-S-1019, HW-D-0060, HW-D-0061, HW-D-0118, HW-D-0119, HW-D-0120, HW-D-0651, HW-D-0823, HW-D-0908, HW-D-1011, HW-D-1012, HW-D-1020, HW-D-1066, HW-D-1125, HW-D-1141, WW-D-0101, WW-D-0102, WW-D-0110, WW-D-1066, WW-S-1025, and WW-S-1038.

Metacaulk 950 Caulk for use in Joint System Nos. HW-D-0818, HW-D-0822, HW-D-0903, HW-D-1151.

Metacaulk 1000 Caulk for use in Joint System Nos. BW-S-0011, BW-S-0014, BW-S-0045, BW-S-0054, BW-S-0055, FF-D-0083, FF-D-0084, FF-D-1225, FW-D-0070, FW-D-1143, HW-D-0014, HW-D-0056, HW-D-0060, HW-D-0061, HW-D-0118, HW-D-0119, HW-D-0120, HW-D-0144, HW-D-0149, HW-D-0179, HW-D-0189, HW-D-0257, HW-D-0375, HW-D-0401, HW-D-0533, HW-D-0534, HW-D-0535, HW-D-0651, HW-D-0889, HW-D-0890, HW-D-0891, HW-D-0892, HW-D-

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number: R14546
Report Reference: R14546-1992-02-20
Issue Date: 2026-03-31

0893, HW-D-0894, HW-D-0895, HW-D-0896, HW-D-0897, HW-D-0898, HW-D-0899, HW-D-0900, HW-D-0908, HW-D-0966, HW-D-1011, HW-D-1012, HW-D-1020, HW-D-1141, HW-D-1151, HW-D-1152, HW-D-1161, WW-D-0027, WW-D-0102, WW-D-0110, WW-D-0115, WW-D-1253, WW-S-0055, WW-S-0088, WW-S-0089.

Metacaulk 1000 Caulk for use in Continuity Head of Wall Joint System Nos. CJ-D-0012, CJ-D-0013, CJ-D-0014.

Metacaulk 1100 Caulk for use in Joint System Nos. BW-S-0014, HW-D-0018, HW-D-0093, HW-D-0095, HW-D-0113, HW-D-0115, HW-D-0118, HW-D-0125, HW-D-0179, HW-D-1020, WW-D-0115.

Metacaulk 1200 Spray for use in Joint System Nos. FF-D-0018, FF-D-1024, FF-D-1225, FW-D-0013, FW-D-0017, FW-D-1020, FW-D-1022, FW-D-1143, HW-D-0032, HW-D-0058, HW-D-0060, HW-D-0104, HW-D-0107, HW-D-0108, HW-D-0109, HW-D-0110, HW-D-0118, HW-D-0127, HW-D-0129, HW-D-0166, HW-D-0187, HW-D-0189, HW-D-0199, HW-D-0221, HW-D-0222, HW-D-0327, HW-D-0328, HW-D-0331, HW-D-0380, HW-D-0390, HW-D-0391, HW-D-0400, HW-D-0443, HW-D-0444, HW-D-0525, HW-D-0573, HW-D-0577, HW-D-0583, HW-D-0584, HW-D-0621, HW-D-0622, HW-D-0623, HW-D-0638, HW-D-0652, HW-D-0653, HW-D-0708, HW-D-0716, HW-D-0718, HW-D-0818, HW-D-0822, HW-D-0823, HW-D-0966, HW-D-1020, HW-D-1021, HW-D-1022, HW-D-1125, HW-D-1151, HW-D-1152, HW-D-1161, WW-D-0023, WW-D-0025, WW-D-0027, WW-D-0094, WW-D-0095, WW-D-0108, WW-D-0116, WW-D-1028, WW-D-1253, WW-S-0055.

Metacaulk 1500 Spray for use in Joint System Nos. FF-D-0022, FF-D-0029, FF-D-1024, FW-D-0017, FW-D-0024, FW-D-1020, HW-D-0107, HW-D-0108, HW-D-0109, HW-D-0110, HW-D-0118, HW-D-0217, HW-D-0220, HW-D-0235, HW-D-0267, HW-D-0284, HW-D-0299, HW-D-0300, HW-D-0327, HW-D-0328, HW-D-0331, HW-D-0390, HW-D-0391, HW-D-0536, HW-D-0577, HW-D-0583, HW-D-0584, HW-D-0621, HW-D-0622, HW-D-0623, HW-D-0652, HW-D-0653, HW-D-0708, HW-D-1011, HW-D-1012, HW-D-1020, HW-D-1021, HW-S-0080, WW-D-0101, WW-D-0108, WW-D-1028.

Metacaulk 1200 Caulk Grade for use in Joint System Nos. BW-S-0014, BW-S-0054, BW-S-0055, FF-D-0083, FF-D-0084, FF-D-0018, FF-D-1225, FW-D-0013, FW-D-0070, FW-D-1022, FW-D-1143, HW-D-0032, HW-D-0058, HW-D-

Certificate of Compliance

Certificate Number: R14546
Report Reference: R14546-1992-02-20
Issue Date: 2026-03-31

0104, HW-D-0118, HW-D-0127, HW-D-0129, HW-D-0166, HW-D-0187, HW-D-0189, HW-D-0197, HW-D-0199, HW-D-0202, HW-D-0215, HW-D-0216, HW-D-0221, HW-D-0222, HW-D-0257, HW-D-0297, HW-D-0380, HW-D-0443, HW-D-0444, HW-D-0401, HW-D-0577, HW-D-0583, HW-D-0584, HW-D-0621, HW-D-0622, HW-D-0623, HW-D-0638, HW-D-0651, HW-D-0652, HW-D-0653, HW-D-0818, HW-D-0822, HW-D-0889, HW-D-0890, HW-D-0891, HW-D-0892, HW-D-0893, HW-D-0894, HW-D-0895, HW-D-0896, HW-D-0897, HW-D-0898, HW-D-0899, HW-D-0900, HW-D-0966, HW-D-1020, HW-D-1021, HW-D-1022, HW-D-1151, HW-D-1152, HW-D-1161, WW-D-0023, WW-D-0025, WW-D-0027, WW-D-0101, WW-D-0102, WW-D-0110, WW-D-0116, WW-D-0275, WW-D-1253, WW-S-0055, WW-S-0088, WW-S-0089.

Metacaulk 1200 SL for use in Joint System Nos. FF-D-0018, FW-D-0013 and FW-D-1022.

Metacaulk 350i for use in Joint System Nos. BW-S-0011, BW-S-0014, BW-S-0045, FF-D-0083, FF-D-0084, HW-D-0144, HW-D-0149, HW-D-0189, HW-D-0375, HW-D-0401, HW-D-0651, WW-D-0102, WW-D-0110.

Metacaulk MC 150+ Caulk for use in Joint System Nos. BW-S-0011, BW-S-0014, BW-S-0045, BW-S-0054, BW-S-0055, FF-D-0023, FF-D-0024, FF-D-0083, FF-D-0084, FF-D-1027, FW-D-0018, FW-D-0019, FW-D-0070, FW-D-1024, HW-D-0144, HW-D-0146, HW-D-0149, HW-D-0189, HW-D-0197, HW-D-0202, HW-D-0215, HW-D-0257, HW-D-0297, HW-D-0395, HW-D-0533, HW-D-0534, HW-D-0535, HW-D-0537, HW-D-0651, W-D-0889, HW-D-0890, HW-D-0891, HW-D-0892, HW-D-0893, HW-D-0894, HW-D-0895, HW-D-0896, HW-D-0897, HW-D-0898, HW-D-0899, HW-D-0900, HW-D-1024, HW-D-1151, HW-D-1152, HW-S-0161, WW-D-0027, WW-D-0028, WW-D-0101, WW-D-0102, WW-D-0108, WW-D-0110, WW-D-0116, WW-D-0063, WW-D-0083, WW-D-0084, WW-D-0095, WW-D-1029, WW-S-0055, WW-S-0088, WW-S-0089.

Metacaulk MC 150+ Caulk for use in Continuity Head of Wall Joint System Nos. CJ-D-0012, CJ-D-0013, CJ-D-0014.

Metacaulk 835+ Caulk for use in Through-Penetration Firestop System Nos. C-AJ-0057, C-AJ-1035, C-AJ-1037, C-AJ-1059, C-AJ-1115, C-AJ-1247, C-AJ-1248, C-AJ-1250, C-AJ-2650, C-AJ-3126, C-AJ-3127, C-AJ-4040, C-AJ-5109, C-AJ-5110, C-AJ-5354, C-AJ-6031, C-AJ-7028, C-AJ-7095 C-AJ-7098, C-AJ-8047, C-AJ-8067, F-A-0016, F-A-0017, F-A-0018, F-A-0022, F-A-1073, F-A-1074, F-A-

Certificate of Compliance

Certificate Number: R14546
Report Reference: R14546-1992-02-20
Issue Date: 2026-03-31

1080, F-A-1190, F-A-2146, F-A-2147, F-A-2148, F-A-2161, F-A-2163, F-A-2291, F-A-2292, F-A-2293, F-A-2344, F-A-2345, F-A-2346, F-A-3030, F-A-5035, F-A-8017, F-A-8028, F-A-8033, F-C-1199, F-C-7036, F-C-7037, F-C-7055, F-C-7059, F-C-7068, W-J-1007, W-J-1018, W-J-3013, W-J-3014, W-L-0008, W-L-1013, W-L-1034, W-L-1122, W-L-1132, W-L-1442, W-L-1443, W-L-1444, W-L-2134, W-L-3028, W-L-3029, W-L-3096, W-L-3097, W-L-3104, W-L-3127, W-L-4058, W-L-5077, W-L-6015, W-L-7012, W-L-8016, W-N-1001, W-N-2001, W-N-5001, W-N-5002, W-N-5003.

Metacaulk 950 Caulk for use in Through-Penetration Firestop System Nos. C-AJ-1035, C-AJ-1036, C-AJ-1038, C-AJ-1039, C-AJ-1051, C-AJ-1076, C-AJ-1114, C-AJ-1186, C-AJ-2015, C-AJ-3026, C-AJ-3027, C-AJ-5011, C-AJ-5084, C-AJ-8010, W-J-1007, W-J-1013, W-J-1019, W-J-2005, W-J-8001, W-L-1013, W-L-1024, W-L-1025, W-L-1026, W-L-1035, W-L-1040, W-L-1074, W-L-1075, W-L-2014, W-L-3013, W-L-3014, W-L-5056, W-L-7160, W-L-8001, W-N-1001, W-N-2001, W-N-5001, W-N-5002, W-N-5003.

Metacaulk 1000 Caulk for use in Through-Penetration Firestop System Nos. C-AJ-0132, C-AJ-1221, C-AJ-1235, C-AJ-1261, C-AJ-1263, C-AJ-1296, C-AJ-1320, C-AJ-1327, C-AJ-1329, C-AJ-1367, C-AJ-1402, C-AJ-1403, C-AJ-1404, C-AJ-1535, C-AJ-1577, C-AJ-1584, C-AJ-1587, C-AJ-1601, C-AJ-1603, C-AJ-1751, C-AJ-2017, C-AJ-2047, C-AJ-2112, C-AJ-2113, C-AJ-2119, C-AJ-2120, C-AJ-2122, C-AJ-2155, C-AJ-2178, C-AJ-2182, C-AJ-2194, C-AJ-2245, C-AJ-2247, C-AJ-2265, C-AJ-2307, C-AJ-2309, C-AJ-2333, C-AJ-2346, C-AJ-2348, C-AJ-2373, C-AJ-2390, C-AJ-2425, C-AJ-2427, C-AJ-2432, C-AJ-2452, C-AJ-2484, C-AJ-2486, C-AJ-2498, C-AJ-2516, C-AJ-2592, C-AJ-2597, C-AJ-2605, C-AJ-2628, C-AJ-2646, C-AJ-2649, C-AJ-2650, C-AJ-2652, C-AJ-2661, C-AJ-2679, C-AJ-2687, C-AJ-2688, C-AJ-2689, C-AJ-2702, C-AJ-2707, C-AJ-2719, C-AJ-2783, C-AJ-2923, C-AJ-2947, C-AJ-3086, C-AJ-3087, C-AJ-3199, C-AJ-3286, C-AJ-3304, C-AJ-3306, C-AJ-3308, C-AJ-4047, C-AJ-4049, C-AJ-4062, C-AJ-5070, C-AJ-5077, C-AJ-5078, C-AJ-5085, C-AJ-5134, C-AJ-5136, C-AJ-5159, C-AJ-5161, C-AJ-5208, C-AJ-5222, C-AJ-5224, C-AJ-5238, C-AJ-5249, C-AJ-5250, C-AJ-5251, C-AJ-5278, C-AJ-5283, C-AJ-5284, C-AJ-5379, C-AJ-5380, C-AJ-5381, C-AJ-5382, C-AJ-5396, C-AJ-6013, C-AJ-6025, C-AJ-7038, C-AJ-7088, C-AJ-7112, C-AJ-7199, C-AJ-7207, C-AJ-8042, C-AJ-8047, C-AJ-8050, C-AJ-8121, C-AJ-8138, C-AJ-8153, C-AJ-8149, C-AJ-8151, C-AJ-8159, C-AJ-8161, C-AJ-8201, F-A-1043, F-A-1048, F-A-1073, F-A-1074, F-A-1087, F-A-1205, F-A-2019, F-A-2043, F-A-2049, F-A-2051, F-A-2090, F-A-2113, F-A-2148, F-A-2170, F-A-2171, F-A-2172, F-A-2217, F-A-2223, F-A-2227, F-A-2228, F-A-

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number: R14546
Report Reference: R14546-1992-02-20
Issue Date: 2026-03-31

2235, F-A-2237, F-A-2277, F-A-2291, F-A-2292, F-A-2293, F-A-2344, F-A-2345, F-A-2346, F-A-3030, F-A-8017, F-A-8028, F-C-1020, F-C-1037, F-C-1061, F-C-1089, F-C-1155, F-C-2042, F-C-2077, F-C-2083, F-C-2087, F-C-2089, F-C-2091, F-C-2130, F-C-2192, F-C-2221, F-C-2298, F-C-2302, F-C-2367, F-C-2385, F-C-2398, F-C-2400, F-C-2407, F-C-2408, F-C-2409, F-C-2410, F-C-2411, F-C-2413, F-C-2148, F-C-3018, F-C-5010, F-C-5011, F-C-7004, F-C-7008, F-C-7040, F-C-8015, F-C-8019, F-C-8030, F-C-8050, F-E-1005, F-E-1006, F-E-2007, F-E-2008, F-E-2009, F-E-5003, F-E-8004, W-J-0027, W-J-1036, W-J-1038, W-J-1043, W-J-1045, W-J-1059, W-J-1061, W-J-1065, W-J-1066, W-J-1079, W-J-1081, W-J-1087, W-J-1145, W-J-1172, W-J-1176, W-J-2013, W-J-2025, W-J-2039, W-J-2051, W-J-2052, W-J-2063, W-J-2065, W-J-2073, W-J-2081, W-J-2086, W-J-2122, W-J-2144, W-J-2162, W-J-2169, W-J-2180, W-J-2220, W-J-2222, W-J-2224, W-J-2239, W-J-2240, W-J-2266, W-J-2274, W-J-2292, W-J-2295, W-J-2296, W-J-2324, W-J-3019, W-J-3026, W-J-3056, W-J-3058, W-J-3069, W-J-3070, W-J-3102, W-J-3113, W-J-4025, W-J-5016, W-J-5018, W-J-5020, W-J-5029, W-J-5033, W-J-5036, W-J-5039, W-J-5043, W-J-5059, W-J-5064, W-J-5068, W-J-5079, W-J-5081, W-J-5093, W-J-5101, W-J-5103, W-J-5123, W-J-5157, W-J-5160, W-J-5161, W-J-6005, W-J-7002, W-J-7008, W-J-7014, W-J-7016, W-J-7023, W-J-7042, W-J-7054, W-J-7071, W-J-7096, W-J-7116, W-J-7176, W-J-8032, W-J-8061, W-L-0056, W-L-1099, W-L-1102, W-L-1104, W-L-1106, W-L-1108, W-L-1114, W-L-1116, W-L-1118, W-L-1120, W-L-1152, W-L-1153, W-L-1159, W-L-1161, W-L-1177, W-L-1179, W-L-1181, W-L-1199, W-L-1204, W-L-1325, W-L-1372, W-L-1427, W-L-1456, W-L-1545, W-L-1604, W-L-2021, W-L-2104, W-L-2132, W-L-2135, W-L-2168, W-L-2170, W-L-2190, W-L-2192, W-L-2199, W-L-2201, W-L-2209, W-L-2238, W-L-2267, W-L-2287, W-L-2342, W-L-2346, W-L-2348, W-L-2375, W-L-2402, W-L-2413, W-L-2465, W-L-2524, W-L-2526, W-L-2528, W-L-2544, W-L-2556, W-L-2560, W-L-2563, W-L-2569, W-L-2594, W-L-2595, W-L-2606, W-L-2632, W-L-2638, W-L-2639, W-L-2894, W-L-2895, W-L-2672, W-L-3072, W-L-3092, W-L-3094, W-L-3152, W-L-3155, W-L-3179, W-L-3180, W-L-3208, W-L-3223, W-L-3235, W-L-3354, W-L-3439, W-L-3440, W-L-4030, W-L-4031, W-L-4072, W-L-5057, W-L-5059, W-L-5061, W-L-5075, W-L-5084, W-L-5087, W-L-5092, W-L-5097, W-L-5171, W-L-5173, W-L-5205, W-L-5207, W-L-5127, W-L-5145, W-L-5148, W-L-5237, W-L-5304, W-L-5305, W-L-5309, W-L-5310, W-L-5408, W-L-5410, W-L-6008, W-L-6010, W-L-7006, W-L-7027, W-L-7034, W-L-7036, W-L-7046, W-L-7076, W-L-7093, W-L-7097, W-L-7122, W-L-7170, W-L-7199, W-L-7203, W-L-7208, W-L-7293, W-L-7294, W-L-8007, W-L-8042, W-L-8062, W-L-8108, W-N-1001, W-N-1002, W-N-2001, W-N-5001, W-N-5002, W-N-5003, W-N-5004, W-N-5005, W-N-7001, W-L-8089, W-J-2225,

Certificate of Compliance

Certificate Number: R14546
Report Reference: R14546-1992-02-20
Issue Date: 2026-03-31

Metacaulk 1100 Caulk for use in Through-Penetration Firestop System Nos.

W-J-1083, W-L-1183, W-L-2556, W-L-2563, W-N-1001, W-N-2001, W-N-5001, W-N-5002, W-N-5003.

Metacaulk 1200 Spray for use in Through-Penetration Firestop System Nos.

C-AJ-1236, C-AJ-1426, C-AJ-1480, C-AJ-2152, C-AJ-2154, C-AJ-2156, C-AJ-2181, C-AJ-2270, C-AJ-2428, C-AJ-2645, C-AJ-2646, C-AJ-2650, C-AJ-2947, C-AJ-5252, C-AJ-7088, C-AJ-8129, C-BJ-4030, W-J-4031, W-J-7026, W-L-2555, W-L-2556, W-L-4041, W-L-7047, W-L-7080.

Metacaulk 1200 Caulk Grade for use in Through-Penetration Firestop System

Nos. C-AJ-1480, C-AJ-2151, C-AJ-2153, C-AJ-2155, C-AJ-2180, C-AJ-2269, C-AJ-2344, C-AJ-2390, C-AJ-2427, C-AJ-2646, C-AJ-2650, C-AJ-2992, C-AJ-2943, C-AJ-5252, C-AJ-5487, C-AJ-5488, C-AJ-7088, C-AJ-8129, C-BJ-4030, F-A-0016, F-A-0018, F-A-0022, F-A-1073, F-A-1074, F-A-1080, F-A-2146, F-A-2148, F-A-2161, F-A-5035, F-A-2291, F-A-2292, F-A-2293, F-A-2344, F-A-2345, F-A-2346, F-A-3030, F-A-5088, F-A-8017, F-A-8028, F-C-7040, W-J-2220, W-J-2222, W-J-2224, W-J-4031, W-J-7026, W-L-2524, W-L-2526, W-L-2528, W-L-2563, W-L-2894, W-L-2895, W-L-4041, W-L-5408, W-L-7047, W-N-1001, W-N-2001, W-N-5001, W-N-5002, W-N-5003, W-J-2225, W-J-2432, W-J-2433

Metacaulk 1200 SL for use in Through-Penetration Firestop System Nos.

C-AJ-1480, C-AJ-5252, C-AJ-7088, C-BJ-4030, F-A-0016, F-A-0018, F-A-0022.

Metacaulk 1500 Spray for use in Through-Penetration Firestop System Nos.

C-AJ-1236, C-AJ-1426, W-J-7044, W-L-7080.

Metacaulk Fire Rated Mortar for use in Through-Penetration Firestop System

Nos. C-AJ-0042, C-AJ-0068, C-AJ-2727, C-AJ-2269, C-AJ-2948, F-A-2043, F-A-2044, C-AJ-6012, C-AJ-7029, C-AJ-8043, C-AJ-8108, C-AJ-8133, C-AJ-8281, C-BJ-4024, F-A-2043, W-L-1128, W-L-1129, W-L-1132, C-AJ-8230,

Metacaulk Fire Rated Putty for use in Through-Penetration Firestop System

Nos. C-AJ-0132, C-AJ-0045, C-AJ-0088, C-AJ-1200, C-AJ-1206, C-AJ-1603, C-AJ-2628, C-AJ-2661, C-AJ-3100, C-AJ-3101, C-AJ-3304, C-AJ-3306, C-AJ-3308, C-AJ-4062, C-AJ-5379, C-AJ-8121, C-AJ-8173, C-AJ-8201, C-AJ-8230, F-A-0018, F-A-2217, F-A-2228, F-A-3019, W-J-3238, W-J-3239, W-J-3026, W-J-3109, W-J-

Certificate of Compliance

Certificate Number: R14546
Report Reference: R14546-1992-02-20
Issue Date: 2026-03-31

3110, W-J-3111, W-J-3112, W-J-4051, W-L-0026, W-L-1132, W-L-1456, W-L-1545, W-L-2569, W-L-2655, W-L-3092, W-L-3122, W-L-3094, W-L-3233, W-L-3234, W-L-3316, W-L-3354, W-L-3433, W-L-3434, W-L-3439, W-L-3440, W-L-4054, W-L-7203, W-L-7293, W-L-7294, W-L-8089.

Metacaulk Fire Rated Putty Pads for use in Through-Penetration Firestop System No. W-L-2655.

Metacaulk Bixi Stix for use in Through-Penetration Firestop System Nos. F-B-3009, W-J-4051, W-L-4054.

Metacaulk Wrap Strip for use in Through-Penetration Firestop System Nos. C-AJ-2017, C-AJ-2047, C-AJ-2157, C-AJ-2178, C-AJ-2182, C-AJ-2265, C-AJ-2333, C-AJ-2344, C-AJ-2346, C-AJ-2425, C-AJ-2689, C-AJ-2713, C-AJ-2719, C-AJ-0088, C-AJ-4062, C-AJ-2373, C-AJ-2390, C-AJ-2427, C-AJ-2498, C-AJ-2516, C-AJ-2597, C-AJ-2646, C-AJ-2649, C-AJ-2650, C-AJ-2652, C-AJ-2702, C-AJ-2784, C-AJ-2923, C-AJ-5251, C-AJ-5252, C-AJ-5380, C-AJ-8133, C-AJ-8149, C-AJ-8151, C-AJ-8153, C-AJ-8159, C-AJ-8171, C-AJ-8230, C-AJ-8281, F-A-2019, F-A-2049, F-A-2051, F-A-2090, F-A-2170, F-A-2237, F-C-2077, F-C-2083, F-C-2091, F-C-2302, F-C-2367, F-C-2409, F-C-2410, F-C-8019, F-E-2008, F-E-2009, F-E-8004, W-J-2023, W-J-2035, W-J-2052, W-J-2075, W-J-2092, W-J-2094, W-J-2144, W-J-2220, W-J-2222, W-J-2180, W-J-2239, W-J-2240, W-J-2293, W-J-2295, W-J-4017, W-J-5022, W-J-5025, W-J-5043, W-J-5123, W-J-5159, W-J-5160, W-J-8001, W-J-8032, W-L-1442, W-L-1443, W-L-1444, W-L-2102, W-L-2106, W-L-2121, W-L-2168, W-L-2199, W-L-2207, W-L-2240, W-L-2274, W-L-2276, W-L-2346, W-L-2348, W-L-2375, W-L-2524, W-L-2526, W-L-2544, W-L-2556, W-L-2560, W-L-2563, W-L-2595, W-L-2633, W-L-2638, W-L-3208, W-L-4021, W-L-4023, W-L-5063, W-L-5068, W-L-5097, W-L-5237, W-L-5308, W-L-5309, W-L-7203, W-L-8001, W-L-8062, W-N-2001, W-N-5001, W-N-5002, W-N-5004, W-J-7075, W-L-2167, W-L-2555, W-L-7120,

Metacaulk Pillows for use in Through-Penetration Firestop System Nos. C-AJ-0052, C-AJ-1367, C-AJ-3122, C-AJ-4047, C-AJ-4049, C-AJ-5381, C-AJ-8171, W-J-0004, W-J-4017, W-J-4025, W-J-5161, W-L-0004, W-L-0006, W-L-4021, W-L-4023, W-L-4030, W-L-4031, W-L-4072, W-L-5305, W-L-5310.

Metacaulk MC-150 Caulk for use in Through-Penetration Firestop System Nos.

Certificate of Compliance

Certificate Number: R14546
Report Reference: R14546-1992-02-20
Issue Date: 2026-03-31

C-AJ-1270, C-AJ-1272, C-AJ-3134, F-C-7040, W-J-1056, W-L-1138, W-L-1140, W-L-1142, W-L-1144, W-L-3108, W-N-1001, W-N-2001, W-N-5001, W-N-5002, W-N-5003.

Metacaulk MC-150 Caulk also Classified in accordance with ASTM E 136-96a "Standard Test Method for the behavior of materials in Vertical Tube Furnace at 750 degrees C."

Metacaulk MC 150+ Caulk for use in Through-Penetration Firestop System Nos. C-AJ-0012, C-AJ-0110, C-AJ-1022, C-AJ-1087, C-AJ-1088, C-AJ-1104, C-AJ-1105, C-AJ-1235, C-AJ-1379, C-AJ-1403, C-AJ-1404, C-AJ-1406, C-AJ-1409, C-AJ-1502, C-AJ-1528, C-AJ-1577, C-AJ-1584, C-AJ-2194, C-AJ-2348, C-AJ-2511, C-AJ-2568, C-AJ-2622, C-AJ-2645, C-AJ-2646, C-AJ-2650, C-AJ-2661, C-AJ-2707, C-AJ-2947, C-AJ-2992, C-AJ-3035, C-AJ-3194, C-AJ-3234, C-AJ-3241, C-AJ-3286, C-AJ-5175, C-AJ-5222, C-AJ-5223, C-AJ-5283, C-AJ-5379, C-AJ-5380, C-AJ-5381, C-AJ-5382, C-AJ-5487, C-AJ-5488, C-AJ-6011, C-AJ-6027, C-AJ-7067, C-AJ-7074, C-AJ-7075, C-AJ-7082, C-AJ-7087, C-AJ-7088, C-AJ-7112, C-AJ-8101, C-AJ-8129, C-AJ-8138, C-AJ-8149, C-AJ-8151, C-AJ-8153, C-AJ-8155, C-AJ-8159, C-AJ-8161, C-AJ-8204, F-A-0016, F-A-0018, F-A-0022, F-A-1048, F-A-1073, F-A-1074, F-A-1087, F-A-1205, F-A-2113, F-A-2148, F-A-2172, F-A-2211, F-A-2217, F-C-2221, F-A-2228, F-A-2235, F-A-2277, F-A-2291, F-A-2292, F-A-2293, F-A-2344, F-A-2345, F-A-2346, F-A-3030, F-A-5035, F-A-5037, F-A-5088, F-A-8017, F-A-8027, F-C-1084, F-C-1089, F-C-1103, F-C-1125, F-C-2041, F-C-2042, F-C-2087, F-C-2089, F-C-2091, F-C-2192, F-C-2212, F-C-2298, F-C-2329, F-C-2398, F-C-3060, F-C-3063, F-C-3068, F-C-5059, F-C-5063, F-C-5078, F-C-7019, F-C-7040, F-C-7047, F-C-8007, F-C-8008, F-C-8050, F-E-1005, F-E-3006, F-E-7003, W-J-1065, W-J-1090, W-J-1109, W-J-1145, W-J-1158, W-J-1170, W-J-1158, W-J-1206, W-J-2052, W-J-2086, W-J-2087, W-J-2088, W-J-2129, W-J-2142, W-J-2171, W-J-2188, W-J-2220, W-J-2222, W-J-2224, W-J-2225, W-J-2266, W-J-2274, W-J-2324, W-J-2432, W-J-2433, W-J-2435, W-J-3072, W-J-3076, W-J-3079, W-J-3084, W-J-3113, W-J-3144, W-J-5036, W-J-5079, W-J-5080, W-J-5081, W-J-5114, W-J-5116, W-J-5157, W-J-5161, W-J-5233, W-J-7023, W-J-7026, W-J-7045, W-J-7046, W-J-7075, W-J-7116, W-J-7176, W-J-8030, W-J-8038, W-J-8061, W-L-1007, W-L-1046, W-L-1047, W-L-1048, W-L-1152, W-L-1207, W-L-1253, W-L-1325, W-L-1343, W-L-1362, W-L-1404, W-L-1427, W-L-1454, W-L-1545, W-L-2167, W-L-2202, W-L-2258, W-L-2259, W-L-2262, W-L-2287, W-L-2346, W-L-2373, W-L-2415, W-L-2437, W-L-2524, W-L-2526, W-L-2528, W-L-2529, W-L-2555, W-L-2556, W-L-2563, W-L-2569, W-L-2594, W-L-2595, W-L-2672, W-L-2606, W-L-2893, W-L-2894, W-L-2895, W-L-3005, W-L-3188, W-L-3199, W-L-3235, W-L-3269, W-L-

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number: R14546
Report Reference: R14546-1992-02-20
Issue Date: 2026-03-31

3439, W-L-3440, W-L-5087, W-L-5171, W-L-5172, W-L-5173, W-L-5226, W-L-5228, W-L-5304, W-L-5305, W-L-5310, W-L-5408, W-L-5410, W-L-7046, W-L-7047, W-L-7081, W-L-7082, W-L-7120, W-L-7122, W-L-7162, W-L-7199, W-L-7208, W-L-7229, W-L-7293, W-L-7294, W-L-8060, W-L-8068, W-L-8108, W-N-1001, W-N-2001, W-N-5001, W-N-5002, W-N-5003.

Metacaulk Composite Sheet for use in Through-Penetration Firestop System Nos. C-AJ-0088, C-AJ-4062, C-AJ-8121, W-J-8032, W-L-8062.

Metacaulk Joint Strip for use in Through-Penetration Firestop System Nos. C-AJ-0088, C-AJ-2679, C-AJ-2947, C-AJ-2948, C-AJ-4062, C-AJ-5487, C-AJ-5488, C-AJ-8121, F-A-2172, F-A-2235, F-A-2277, F-C-2408, F-C-2400, W-J-2324, W-J-5157, W-J-7071, W-L-2672, W-L-5304, W-L-7122, W-L-7293, W-L-7294.

Metacaulk 350i for use in Through-Penetration Firestop System Nos. C-AJ-1235, C-AJ-1402, C-AJ-1403, C-AJ-1404, C-AJ-1535, C-AJ-1541, C-AJ-1542, C-AJ-1543, C-AJ-1544, C-AJ-1577, C-AJ-1584, C-AJ-2017, C-AJ-2047, C-AJ-2194, C-AJ-2348, C-AJ-2432, C-AJ-2486, C-AJ-2490, C-AJ-2494, C-AJ-2498, C-AJ-2550, C-AJ-2551, C-AJ-2552, C-AJ-2553, C-AJ-2554, C-AJ-2555, C-AJ-2556, C-AJ-2592, C-AJ-2605, C-AJ-2646, C-AJ-2650, C-AJ-2679, C-AJ-2687, C-AJ-2688, C-AJ-2689, C-AJ-2783, C-AJ-2947, C-AJ-3199, C-AJ-3256, C-AJ-3286, C-AJ-5208, C-AJ-5222, C-AJ-5238, C-AJ-5249, C-AJ-5250, C-AJ-5251, C-AJ-5283, C-AJ-5296, C-AJ-5297, C-AJ-5379, C-AJ-5380, C-AJ-5382, C-AJ-5396, C-AJ-6013, C-AJ-7038, C-AJ-7112, C-AJ-8042, C-AJ-8161, C-AJ-8175, F-A-1070, F-A-2017, F-A-2019, F-A-2113, F-A-2172, F-A-2223, F-A-2227, F-A-2228, F-A-2277, F-C-1020, F-C-1037, F-C-1139, F-C-2042, F-C-2083, F-C-2087, F-C-2089, F-C-2091, F-C-2221, F-C-2298, F-C-2326, F-C-2329, F-C-2385, F-C-2418, F-C-3018, F-C-5010, F-C-5011, F-C-7004, F-C-7008, F-C-7040, F-C-8019, F-C-8039, F-C-8050, F-E-1005, F-E-1006, F-E-2007, F-E-2008, F-E-2009, F-E-5003, F-E-8004, W-J-1065, W-J-1066, W-J-1087, W-J-1194, W-J-1195, W-J-1196, W-J-1206, W-J-2007, W-J-2025, W-J-2051, W-J-2052, W-J-2086, W-J-2162, W-J-2169, W-J-2178, W-J-2195, W-J-2196, W-J-2197, W-J-2198, W-J-2324, W-J-3019, W-J-3069, W-J-3102, W-J-4025, W-J-5036, W-J-5043, W-J-5079, W-J-5081, W-J-5093, W-J-5128, W-J-5129, W-J-5130, W-J-7002, W-J-7008, W-J-7023, W-J-7079, W-J-7082, W-J-7116, W-J-8061, W-L-1152, W-L-1153, W-L-1204, W-L-1393, W-L-1394, W-L-1395, W-L-1396, W-L-1427, W-L-2021, W-L-2168, W-L-2170, W-L-2202, W-L-2258, W-L-2287, W-L-2346, W-L-2402, W-L-2413, W-L-2426, W-L-2455, W-L-2456, W-L-2457, W-L-2458, W-L-2465, W-L-2556, W-L-2563, W-L-2672, W-L-3072, W-L-3179, W-L-3223, W-L-3294, W-L-4030, W-L-5087, W-L-5097, W-L-5171, W-L-5173, W-L-5193, W-L-5249, W-L-5250, W-L-5251, W-L-5252, W-L-7006, W-L-7027, W-L-7046, W-L-7137, W-L-7138, W-L-7199, W-L-7293, W-L-7294, W-L-8007, W-L-8108.

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number: R14546
Report Reference: R14546-1992-02-20
Issue Date: 2026-03-31

Metacaulk 835+ self levelling sealant for use in Joint System Nos. FF-D-1158, FF-S-1042, FW-D-1103.

Metacaulk 835+ self levelling sealant for use in Perimeter Fire Containment System Nos. CW-D-1059, CW-D-2072, CW-D-2073, CW-S-2069, CW-S-2070.

Metacaulk 835+ self levelling sealant for use in Through-Penetration Firestop System Nos. C-AJ-0152, C-AJ-1650, C-AJ-1651, C-AJ-1652, C-AJ-1653, C-AJ-1654, C-AJ-2748, C-AJ-2749, C-AJ-3335, C-AJ-3336, C-AJ-3337, C-AJ-5363, C-AJ-5364, C-AJ-5365, C-AJ-5366, C-AJ-5367, C-AJ-6047, C-AJ-7169, C-AJ-7170, C-AJ-8240, C-AJ-8241, C-BJ-1068, F-A-1146, F-A-1147, F-A-3061, F-A-8034.

Metacaulk Joint Strip for use in Wall and Partition Design No. W487.

Biostop K10+ Mortar- for use in Through-Penetration Firestop System Nos. C-AJ-0033, C-AJ-0077, C-AJ-0078, C-AJ-1032, C-AJ-2014, C-AJ-2270, C-AJ-3024, C-AJ-4010, C-AJ-5006, C-AJ-7030, C-AJ-8005, C-AJ-8089, C-BJ-3003, C-BJ-3004, C-BJ-3005, C-BJ-3006, F-A-2070, W-L-0001, W-L-1011, W-L-1012, W-L-1124, W-L-1125, C-AJ-8341, C-AJ-8348, C-AJ-8347