

### COVER GUARD™

Adjustable Lineset Duct and Fittings

#### Description

The Cover Guard adjustable lineset cover system is designed to protect and conceal exposed ducted and ductless HVAC piping. It complements any residence or business with a finished look. Cover Guard's 4-stage adjustability allows for a wide range of line sizes, from 1.75 to 3.5 inches deep. The easy lock adjustable fittings can be opened and closed as needed for critical adjustments whenever necessary. Installation is easy with its convenient peel-and-go film, as well as the quick snap covers that won't release under pressure.

Additional information:

- Weather and UV stabilized: Temp range -4°F to 140°F.
- Protects linesets from pets, pest, and vandals: Flat bottom channel and elbow hugs wall, eliminates insect and bird nests.
- Interior adjustable tabs allow the cover to quickly snap in and secure the cover in place.
- Free-sliding zip-tie clips are pre-installed, relocating quickly and easily to position the zip tie where it's needed most.
- Plastic cam screws only require a 1/4 turn to lock in place. Resistant to rust, overtorque or cracking the fitting.
- 3 color options: White, brown and gray.

#### Applications

Avoids damage to HVAC systems by protecting lineset, wiring, and drain hose from weather, vandalism, pet and pest damage. Covers and fittings for the majority of applications; available in a wide assortment of sizes and colors.

#### Lineset Cover Kits

Each Cover Guard 3" Wall Duct Kit includes three 48"x 3" channel bases and covers (12'), two 3" couplers, a 3" wall inlet, a 3" end cap, a 3" flat 90 elbow. Complete with zip-tie clips and cam screws.

Each Cover Guard 4.5" Wall Duct Kit includes three 48"x 4.5" wide channel bases and covers (12'), two 4.5" couplers, a 4.5" wall inlet, a 4.5" end cap, a 4.5" flat 90 elbow. Complete with zip-tie clips and cam screws.

#### Specifications

3" single-zone, external width = 3.625"  
Expanding internal dimensions:


4.5" multi-zone, external width = 5"  
Expanding internal dimensions:

Width 3"  
Depth 1.75"

Width 3"  
Depth 2.50"

Width 4.50"  
Depth 2.25"

Width 4.50"  
Depth 3.50"



#### Characteristics | Features

- Adjustable cover that allows for extra versatility when installing
- Complete offering of fittings to meet every installation need
- Quick snap cover won't release under pressure
- Components are UV stabilized
- Easy to hold large and rust-resistant cam screws
- Additional cam screw in each fitting
- Internal adjustable tabs
- Pre-installed sliding zip-tie clips
- Pre-paint finish and is paintable

**Packaging**

Code	Description	Color	Qty per Case	Lbs. per Case	Cubic Ft per Case
3CG456	3" 45 Deg. Elbow	White	6	2	0.299
3CG45BE	3" 45 Deg. Elbow	Brown*	6	2	0.299
3CG45GE	3" 45 Deg. Elbow	Gray*	6	2	0.299
3CG906	3" 90 Deg. Elbow	White	6	3	0.362
3CG90BE	3" 90 Deg. Elbow	Brown*	6	3	0.362
3CG90GE	3" 90 Deg. Elbow	Gray*	6	3	0.362
3CG90SWP6	3" 90 Deg. Sweep	White	6	4.5	1.303
3CG90SWPBE	3" 90 Deg. Sweep	Brown*	6	4.5	1.303
3CG90SWPGE	3" 90 Deg. Sweep	Gray*	6	4.5	1.303
3CGCUP6	3" Coupler	White	6	1.5	0.158
3CGCUPBE	3" Coupler	Brown*	6	1.5	0.158
3CGCUPGE	3" Coupler	Gray*	6	1.5	0.158
3CGDUC6	48" X 3" Line Duct	White	6	24	1.067
3CGDUCB6	48" X 3" Line Duct	Brown	6	24	1.067
3CGDUCG6	48" X 3" Line Duct	Gray	6	24	1.067
3CGDUC786	78" X 3" Line Duct	White	6	77	1.731
3CGDUC78B6	78" X 3" Line Duct	Brown	6	77	1.731
3CGDUC78G6	78" X 3" Line Duct	Gray	6	77	1.731
3CGEND6	3" End-Cap	White	6	1	0.158
3CGENDBE	3" End-Cap	Brown*	6	1	0.158
3CGENDGE	3" End-Cap	Gray*	6	1	0.158
3CGEXT906	3" External 90	White	6	2	0.425
3CGEXT90BE	3" External 90	Brown*	6	2	0.425
3CGEXT90GE	3" External 90	Gray*	6	2	0.425
3CGFLXA6	3" Flex Adapter	White	6	1.5	0.158
3CGFLXABE	3" Flex Adapter	Brown*	6	1.5	0.158
3CGFLXAGE	3" Flex Adapter	Gray*	6	1.5	0.158
3CGFLXSM6	3" Flex Elbow Small	White	6	3	1.606

\*Sold individually

# COVER GUARD™

Adjustable Lineset Duct and Fittings

Code	Description	Color	Qty per Case	Lbs. per Case	Cubic Ft per Case
3CGFLXSMBE	3" Flex Elbow Small	Brown*	6	3	1.606
3CGFLXSMGE	3" Flex Elbow Small	Gray*	6	3	1.606
3CGINLT6	3" Wall Inlet	White	6	4	0.396
3CGINLTBE	3" Wall Inlet	Brown*	6	4	0.396
3CGINLTGE	3" Wall Inlet	Gray*	6	4	0.396
3CGINT906	3" Internal 90	White	6	2.5	0.550
3CGINT90BE	3" Internal 90	Brown*	6	2.5	0.550
3CGINT90GE	3" Internal 90	Gray*	6	2.5	0.550
3CGKIT	3" Wall Duct Kit	White	1	15	1.33
3CGKITB	3" Wall Duct Kit	Brown*	1	15	1.33
3CGKITG	3" Wall Duct Kit	Gray*	1	15	1.33
3CGSCRW	3" Cam Screw - 50 pack	White	1	2	-
3CGSCRWB	3" Cam Screw - 50 pack	Brown*	1	2	-
3CGSCRWG	3" Cam Screw - 50 pack	Gray*	1	2	-
3CGSTI6	3" Soffit Inlet	White	6	3	0.509
3CGSTIBE	3" Soffit Inlet	Brown*	6	3	0.509
3CGSTIGE	3" Soffit Inlet	Gray*	6	3	0.509
3CGTEE6	3" Tee Elbow (NEW)	White	6	2.5	0.446
3CGTEEBE	3" Tee Elbow (NEW)	Brown*	6	2.5	0.446
3CGTEEGE	3" Tee Elbow (NEW)	Gray*	6	2.5	0.446
CG456	45 Deg. Elbow	White	6	2	0.449
CG45BE	45 Deg. Elbow	Brown*	6	2	0.449
CG45GE	45 Deg. Elbow	Gray*	6	2	0.449
CG906	90 Deg. Elbow	White	6	4	0.681
CG90BE	90 Deg. Elbow	Brown*	6	4	0.681
CG90GE	90 Deg. Elbow	Gray*	6	4	0.681
CG90SWP6	90 Deg. Sweep	White	6	10	1.948
CG90SWPBE	90 Deg. Sweep	Brown*	6	10	1.948
CG90SWPGE	90 Deg. Sweep	Gray*	6	10	1.948

\*Sold individually

# COVER GUARD™

Adjustable Lineset Duct and Fittings

Code	Description	Color	Qty per Case	Lbs. per Case	Cubic Ft per Case
CGCLP	Duct Clips - 25	White	1	1	-
CGCLPB	Duct Clips - 25	Brown*	1	1	-
CGCLPG	Duct Clips - 25	Gray*	1	1	-
CGCUP6	Coupler	White	6	2	0.238
CGCUPBE	Coupler	Brown*	6	2	0.238
CGCUPGE	Coupler	Gray*	6	2	0.238
CGDUC6	48" X 4.5" Line Duct	White	6	29	1.552
CGDUCB6	48" X 4.5" Line Duct	Brown	6	29	1.552
CGDUCG6	48" X 4.5" Line Duct	Gray	6	29	1.552
CGDUC786	78" X 4.5" Line Duct	White	6	49	2.517
CGDUC78B6	78" X 4.5" Line Duct	Brown	6	49	2.517
CGDUC78G6	78" X 4.5" Line Duct	Gray	6	49	2.517
CGEND6	End-Cap	White	6	2	0.338
CGENDBE	End-Cap	Brown*	6	2	0.338
CGENDGE	End-Cap	Gray*	6	2	0.338
CGEXT906	External 90 Elbow	White	6	4	1.007
CGEXT90BE	External 90 Elbow	Brown*	6	4	1.007
CGEXT90GE	External 90 Elbow	Gray*	6	4	1.007
CGFLXA6	Flex Adapter	White	6	2	0.274
CGFLXABE	Flex Adapter	Brown*	6	2	0.274
CGFLXAGE	Flex Adapter	Gray*	6	2	0.274
CGFLXLR6	Flex Elbow Large	White	6	9	3.080
CGFLXLRBE	Flex Elbow Large	Brown*	6	9	3.080
CGFLXLRGE	Flex Elbow Large	Gray*	6	9	3.080
CGFLXSM6	Flex Elbow Small	White	6	7	3.080
CGFLXSMBE	Flex Elbow Small	Brown*	6	7	3.080
CGFLXSMGE	Flex Elbow Small	Gray*	6	7	3.080
CGINLT6	Wall Inlet	White	6	4	0.787
CGINLTBE	Wall Inlet	Brown*	6	4	0.787

\*Sold individually

# COVER GUARD™

Adjustable Lineset Duct and Fittings

Code	Description	Color	Qty per Case	Lbs. per Case	Cubic Ft per Case
CGINLTGE	Wall Inlet	Gray*	6	4	0.787
CGINT906	Internal 90 Elbow	White	6	3	1.007
CGINT90BE	Internal 90 Elbow	Brown*	6	3	1.007
CGINT90GE	Internal 90 Elbow	Gray*	6	3	1.007
CGKIT	4.5" Wall Duct Kit	White	1	20	1.95
CGKITB	4.5" Wall Duct Kit	Brown*	1	20	1.95
CGKITG	4.5" Wall Duct Kit	Gray*	1	20	1.95
CGRDR6	Reducer	White	6	2	0.272
CGRDRBE	Reducer	Brown*	6	2	0.272
CGRDRGE	Reducer	Gray*	6	2	0.272
CGSCRW	Cam Screw - 50	White	1	1	-
CGSCRWB	Cam Screw - 50	Brown*	1	1	-
CGSCRWG	Cam Screw - 50	Gray*	1	1	-
CGSTI6	Soffit Inlet	White	6	4	0.910
CGSTIBE	Soffit Inlet	Brown*	6	4	0.910
CGSTIGE	Soffit Inlet	Gray*	6	4	0.910
CGTEE6	Tee Elbow	White	6	5	0.855
CGTEEBE	Tee Elbow	Brown*	6	5	0.855
CGTEEGE	Tee Elbow	Gray*	6	5	0.855
CGWLFL6	Wall Flange	White	6	3	0.722
CGWLFLBE	Wall Flange	Brown*	6	3	0.722
CGWLFLGE	Wall Flange	Gray*	6	3	0.722

\*Sold individually

## Limited Warranty



For more information on our product warranty, visit [rectorseal.com](http://rectorseal.com).

Distributed by

**RectorSeal, LLC**

**2601 Spenwick Drive, Houston, TX 77055, USA • 800-231-3345 • Fax 800-441-0051 • [rectorseal.com](http://rectorseal.com)**

**PO Box 5266, Brendale, Qld 4500, Australia • 1300 772 878 • [rectorseal.com.au](http://rectorseal.com.au)**

**3255 Wyandotte St. East, Windsor, ON N8Y 1E9, Canada • 519-966-4901**

A CSW Industrials Company. RectorSeal, the logos and other trademarks are property of RectorSeal, LLC, its affiliates or its licensor's and are protected by copyright, trademark and other intellectual property laws, and may not be used without permission. RectorSeal reserves the right to change specifications without prior notice. ©2025 RectorSeal. All rights reserved. R50341-0925